



Lamborghini
CALORECLIMA



Job series
Gas burners

JOB

ONE STAGE GAS BURNER



- One stage gas burner from 17 kW up to 350 kW
- All models of the series are certificated in class 5 (≤ 56 mg/kWh) in according with the ErP Directive
- Job series can be operated with natural gas or LPG by using the dedicated kit
- All the burners are set at the end of the production line for the safe first start
- The models 4 E / 7 E / 10 E / 12 E can be electrically powered at 50 and 60 Hz
- Every burner is available with two different combustion head lengths and one or more gas train to optimize the combination with the burner depending on the inlet gas pressure
- Two combustion head lengths and the high-pressure fan guarantee a wide working range for easy matching with several types of combustion chambers
- Burners are supplied as standard with: Fixing flange and screws / Insulation flange gasket / 7-pin connector (up to mod. 25) / Instructions manual

The JOB series complies with:

014/35/UE Low Voltage Directive

2014/30/UE EMC Directive

(EU) 2016/426 Gas Appliance Regulation

2006/42/EC Machine Directive

2011/65/UE RoHS2 Directive + 2015/863/UE (Delegated Directive)

EN 676:2020

EN 50156-1: 2024

EN IEC 55014-1: 2021

EN IEC 55014-2: 2021

EN 60335-1: 2024-04

EN 60335-2-102: 2016

EN IEC 61000-6-2: 2019

EN IEC 61000-6-3: 2019

Accessories

Dedicated page below

Burner code	Burner model
0UEM7AXD	JOB 4 - E
0UEM7BXD	JOB 4 L - E
0UEM9AXD	JOB 7 - E
0UEM9BXD	JOB 7 L - E
0UEMBAXD	JOB 10 - E
0UEMBBXD	JOB 10 L - E
0UEMCAXD	JOB 12 - E
0UEMCBXD	JOB 12 L - E
0UEMEAXD	JOB 17 - E
0UEMEBXD	JOB 17 L - E
0UEMFAXD	JOB 25 - E
0UEMFBXD	JOB 25 L - E
0UEMGAXD	JOB 35 - E
0UEMGBXD	JOB 35 L - E

Description	Head	Class Nox *	Operation	Burner output (kW)		Power supply	Motor
				Min	Max	Phase/V/Hz	W
JOB 4 - E	TC	5	One stage	17	46	1/230/50-60	75
JOB 4 L - E	TL	5	One stage	17	46	1/230/50-60	75
JOB 7 - E	TC	5	One stage	30	70	1/230/50-60	75
JOB 7 L - E	TL	5	One stage	30	70	1/230/50-60	75
JOB 10 - E	TC	5	One stage	45	110	1/230/50-60	75
JOB 10 L - E	TL	5	One stage	45	110	1/230/50-60	75
JOB 12 - E	TC	5	One stage	60	120	1/230/50-60	75
JOB 12 L - E	TL	5	One stage	60	120	1/230/50-60	75
JOB 17 - E	TC	5	One stage	85	170	1/230/50	200
JOB 17 L - E	TL	5	One stage	85	170	1/230/50	200
JOB 25 - E	TC	5	One stage	85	240	1/230/50	200
JOB 25 L - E	TL	5	One stage	85	240	1/230/50	200
JOB 35 - E	TC	5	One stage	200	350	1/230/50	300
JOB 35 L - E	TL	5	One stage	200	350	1/230/50	300

NB: * Class 5 - NOx ≤ 56 mg/kWh (in compliance with EN 676 European standard) - **TC** - Short head / **TL** - Long head

MATCHING GAS TRAIN




NATURAL GAS / LPG

NATURAL GAS							
Burner		Gas supply		Gas train (natural gas)			
Description	Code	Min gas pressure (mbar)	Max gas pressure (mbar)	Description	Connection	Code	Connection pipe code
JOB 4 - E	OUEM7AXD	13	65	GAS TRAIN MBC 65 DLE	1/2	094557X0	
JOB 4 L - E	OUEM7BXD	13	65	GAS TRAIN MBC 65 DLE	1/2	094557X0	
JOB 7 - E	OUEM9AXD	22	65	GAS TRAIN MBC 65 DLE	1/2	094557X0	
JOB 7 L - E	OUEM9BXD	22	65	GAS TRAIN MBC 65 DLE	1/2	094557X0	
JOB 7 - E	OUEM9AXD	15	360	GAS TRAIN MBC 120 DLE	3/4	094558X0	
JOB 7 L - E	OUEM9BXD	15	360	GAS TRAIN MBC 120 DLE	3/4	094558X0	
JOB 10 - E	OUEMBAXD	38	65	GAS TRAIN MBC 65 DLE	1/2	094557X0	
JOB 10 L - E	OUEMBBXD	38	65	GAS TRAIN MBC 65 DLE	1/2	094557X0	
JOB 10 - E	OUEMBAXD	23	360	GAS TRAIN MBC 120 DLE	3/4	094558X0	
JOB 10 L - E	OUEMBBXD	23	360	GAS TRAIN MBC 120 DLE	3/4	094558X0	
JOB 10 - E	OUEMBAXD	17	360	GAS TRAIN MB-DLE 407	3/4	094612X0	
JOB 10 L - E	OUEMBBXD	17	360	GAS TRAIN MB-DLE 407	3/4	094612X0	
JOB 12 - E	OUEMCAXD	46	65	GAS TRAIN MBC 65 DLE	1/2	094557X0	
JOB 12 L - E	OUEMCBXD	46	65	GAS TRAIN MBC 65 DLE	1/2	094557X0	
JOB 12 - E	OUEMCAXD	26	360	GAS TRAIN MBC 120 DLE	3/4	094558X0	
JOB 12 L - E	OUEMCBXD	26	360	GAS TRAIN MBC 120 DLE	3/4	094558X0	
JOB 12 - E	OUEMCAXD	19	360	GAS TRAIN MB-DLE 407	3/4	094612X0	
JOB 12 L - E	OUEMCBXD	19	360	GAS TRAIN MB-DLE 407	3/4	094612X0	
JOB 17 - E	OUEMEAXD	26	360	GAS TRAIN MB-DLE 405	3/4	094575X0	094580X0
JOB 17 L - E	OUEMEBXD	26	360	GAS TRAIN MB-DLE 405	3/4	094575X0	094580X0
JOB 17 - E	OUEMEAXD	13	360	GAS TRAIN MB-DLE 410	1	094560X0	
JOB 17 L - E	OUEMEBXD	13	360	GAS TRAIN MB-DLE 410	1	094560X0	
JOB 25 - E	OUEMFAXD	40	360	GAS TRAIN MB-DLE 405	3/4	094575X0	094580X0
JOB 25 L - E	OUEMFBXD	40	360	GAS TRAIN MB-DLE 405	3/4	094575X0	094580X0
JOB 25 - E	OUEMFAXD	15	360	GAS TRAIN MB-DLE 412	1 1/4	094561X0	
JOB 25 L - E	OUEMFBXD	15	360	GAS TRAIN MB-DLE 412	1 1/4	094561X0	
JOB 35 - E	OUEMGAXD	37	360	GAS TRAIN MB-DLE 410	1	094562X0	
JOB 35 L - E	OUEMGBXD	37	360	GAS TRAIN MB-DLE 410	1	094562X0	
JOB 35 - E	OUEMGAXD	20	360	GAS TRAIN MB-DLE 412	1 1/4	094563X0	
JOB 35 L - E	OUEMGBXD	20	360	GAS TRAIN MB-DLE 412	1 1/4	094563X0	
JOB 35 - E	OUEMGAXD	17	360	GAS TRAIN MB-DLE 415	1 1/2	094564X0	
JOB 35 L - E	OUEMGBXD	17	360	GAS TRAIN MB-DLE 415	1 1/2	094564X0	

LPG						
Burner		Gas train (LPG)				
Description	Code	Description	Connection	Code	Kit LPG code	Adapter kit code
JOB 4 - E	OUEM7AXD	MBC 65 DLE	1/2	094557X0	094584X0	
JOB 4 L - E	OUEM7BXD	MBC 65 DLE	1/2	094557X0	094584X0	
JOB 7 - E	OUEM9AXD	MBC 65 DLE	1/2	094557X0	094584X0	
JOB 7 L - E	OUEM9BXD	MBC 65 DLE	1/2	094557X0	094584X0	
JOB 10 - E	OUEMBAXD	MBC 65 DLE	1/2	094557X0	094584X0	
JOB 10 L - E	OUEMBBXD	MBC 65 DLE	1/2	094557X0	094584X0	
JOB 12 - E	OUEMCAXD	MBC 65 DLE	1/2	094557X0	094584X0	
JOB 12 L - E	OUEMCBXD	MBC 65 DLE	1/2	094557X0	094584X0	
JOB 17 - E	OUEMEAXD	MB-DLE 405	3/4	094575X0		094580X0
JOB 17 L - E	OUEMEBXD	MB-DLE 405	3/4	094575X0		094580X0
JOB 25 - E	OUEMFAXD	MB-DLE 405	3/4	094575X0		094580X0
JOB 25 L - E	OUEMFBXD	MB-DLE 405	3/4	094575X0		094580X0
JOB 35 - E	OUEMGAXD	MB-DLE 407	3/4	094576X0	094586X0	
JOB 35 L - E	OUEMGBXD	MB-DLE 407	3/4	094576X0	094586X0	

TECHNICAL DATA


WORKING DIAGRAM




TECHNICAL DATA

DIMENSIONS

JOB 4 - E




JOB 7 - E | JOB 10 - E | JOB 12 - E




Model	A	B	C	TC	TL	E	F	G	I	L	M	N	O	P
JOB 4 - E / JOB 4 L - E	288	143	145	85	185	153	89	160	92/107	92/107	M8	54	73	-
JOB 7 - E / JOB 7 L - E	303	155	148	85	185	204	89	160	100/120	100/120	M8	52	71	82
JOB 10 - E / JOB 10 L - E	317	169	148	140	220	204	89	160	100/120	100/120	M8	52	71	82
JOB 12 - E / JOB 12 L - E	317	169	148	160	240	204	98	160	100/120	100/120	M8	52	71	82

JOB 17 - E | JOB 25 - E



Model	A	B	C	TC	TL	E	F	G	I	L	M	N	O
JOB 17 - E / JOB 17 L - E	392	202	190	180	280	280	125	201	106/130	106/130	M8	73	104
JOB 25 - E / JOB 25 L - E	392	202	190	180	280	280	125	201	106/130	106/130	M8	73	104

JOB 35 - E



Model	A	B	C	TC	TL	E	F	G	I	L	M	N	O
JOB 35 - E / JOB 35 L - E	485	277	208	175	335	466	157	280	185/200	185/200	M8	62	101

JOB

TWO STAGE GAS BURNER



- Two stage gas burner from 30 kW up to 700 kW
- All models of the series are certificated in class 5 (≤ 56 mg/kWh) in according with the ErP Directive (mod. 70/2 is certificated Class 3 - ≤ 80 mg/kWh)
- Job series can be operated with natural gas or LPG by using the dedicated kit
- All the burners are set at the end of the production line for the safe first start
- Models 10/2 - E can be electrically powered at 50 and 60 Hz
- Every burner is available with two different combustion head lengths and one or more gas train to optimize the combination with the burner depending on the inlet gas pressure
- Two combustion head lengths and the high-pressure fan guarantee a wide working range for easy matching with several types of combustion chambers
- Burners are supplied as standard with: Fixing flange and screws / Insulation flange gasket / 7-pin connector (up mod. 25/2 E) / Instructions manual

The JOB series complies with:

014/35/UE Low Voltage Directive
 2014/30/UE EMC Directive
 (EU) 2016/426 Gas Appliance Regulation
 2006/42/EC Machine Directive
 2011/65/UE RoHS2 Directive + 2015/863/UE (Delegated Directive)
 EN 676:2020
 EN 50156-1: 2024
 EN IEC 55014-1: 2021
 EN IEC 55014-2: 2021
 EN 60335-1: 2024-04
 EN 60335-2-102: 2016
 EN IEC 61000-6-2: 2019
 EN IEC 61000-6-3: 2019

Accessories

Dedicated page below

Burner code	Burner model
0UEBBAXD	JOB 10/2 - E
0UEBBBXD	JOB 10/2 L - E
0UEBEAXD	JOB 17/2 - E
0UEBEBXD	JOB 17/2 L - E
0UEBFAXD	JOB 25/2 - E
0UEBFBXD	JOB 25/2 L - E
0UEBHAXD	JOB 40/2 - E
0UEBHBXD	JOB 40/2 L - E
0UEBIAXD	JOB 50/2 - E
0UEBIBXD	JOB 50/2 L - E
0UEBKAXD	JOB 70/2
0UEKBXDX	JOB 70/2 L

Description	Head	Class Nox*	Operation	Burner output (kW)		Power supply	Motor
				Min	Max	Phase/V/Hz	W
JOB 10/2 - E	TC	5	Two stage	22	110	1/230/50-60	75
JOB 10/2 L - E	TL	5	Two stage	22	110	1/230/50-60	75
JOB 17/2 - E	TC	5	Two stage	60	170	1/230/50	200
JOB 17/2 L - E	TL	5	Two stage	60	170	1/230/50	200
JOB 25/2 - E	TC	5	Two stage	60	240	1/230/50	200
JOB 25/2 L - E	TL	5	Two stage	60	240	1/230/50	200
JOB 40/2 - E	TC	5	Two stage	100	400	3/230-400/50	370
JOB 40/2 L - E	TL	5	Two stage	100	400	3/230-400/50	370
JOB 50/2 - E	TC	5	Two stage	120	500	3/230-400/50	550
JOB 50/2 L - E	TL	5	Two stage	120	500	3/230-400/50	550
JOB 70/2	TC	3	Two stage	200	700	3/230-400/50	1100
JOB 70/2 L	TL	3	Two stage	200	700	3/230-400/50	1100

MATCHING GAS TRAIN




NATURAL GAS / LPG

NATURAL GAS						
Burner		Gas supply		Gas train (natural gas)		
Description	Code	Min gas pressure (mbar)	Max gas pressure (mbar)	Description	Connection	Code
JOB 10/2 - E	0UEBBAXD	16	360	GAS TRAIN MB-ZRDLE 405	3/4	094565X0
JOB 10/2 L - E	0UEBBBXD	16	360	GAS TRAIN MB-ZRDLE 405	3/4	094565X0
JOB 17/2 - E	0UEBEAXD	26	360	GAS TRAIN MB-ZRDLE 405	3/4	094565X0
JOB 17/2 L - E	0UEBEBXD	26	360	GAS TRAIN MB-ZRDLE 405	3/4	094565X0
JOB 17/2 - E	0UEBEAXD	13	360	GAS TRAIN MB-ZRDLE 410	1	094566X0
JOB 17/2 L - E	0UEBEBXD	13	360	GAS TRAIN MB-ZRDLE 410	1	094566X0
JOB 25/2 - E	0UEBFAXD	40	360	GAS TRAIN MB-ZRDLE 405	3/4	094565X0
JOB 25/2 L - E	0UEBFBXD	40	360	GAS TRAIN MB-ZRDLE 405	3/4	094565X0
JOB 25/2 - E	0UEBFAXD	17	360	GAS TRAIN MB-ZRDLE 410	1	094566X0
JOB 25/2 L - E	0UEBFBXD	17	360	GAS TRAIN MB-ZRDLE 410	1	094566X0
JOB 40/2 - E	0UEBHAXD	55	360	GAS TRAIN MB-DLE 410	1	094562X0
JOB 40/2 L - E	0UEHBHXD	55	360	GAS TRAIN MB-DLE 410	1	094562X0
JOB 40/2 - E	0UEBHAXD	35	360	GAS TRAIN MB-DLE 412	1 1/4	094563X0
JOB 40/2 L - E	0UEHBHXD	35	360	GAS TRAIN MB-DLE 412	1 1/4	094563X0
JOB 40/2 - E	0UEBHAXD	20	360	GAS TRAIN MB-DLE 415	1 1/2	094564X0
JOB 40/2 L - E	0UEHBHXD	20	360	GAS TRAIN MB-DLE 415	1 1/2	094564X0
JOB 50/2 - E	0UEBIAXD	55	360	GAS TRAIN MB-DLE 410	1	094562X0
JOB 50/2 L - E	0UEBIBXD	55	360	GAS TRAIN MB-DLE 410	1	094562X0
JOB 50/2 - E	0UEBIAXD	35	360	GAS TRAIN MB-DLE 412	1 1/4	094563X0
JOB 50/2 L - E	0UEBIBXD	35	360	GAS TRAIN MB-DLE 412	1 1/4	094563X0
JOB 50/2 - E	0UEBIAXD	20	360	GAS TRAIN MB-DLE 415	1 1/2	094564X0
JOB 50/2 L - E	0UEBIBXD	20	360	GAS TRAIN MB-DLE 415	1 1/2	094564X0
JOB 70/2	0UEBKAXD	60	360	GAS TRAIN MB-DLE 410	1	094562X0
JOB 70/2 L	0UEBKBXD	60	360	GAS TRAIN MB-DLE 410	1	094562X0
JOB 70/2	0UEBKAXD	40	360	GAS TRAIN MB-DLE 412	1 1/4	094563X0
JOB 70/2 L	0UEBKBXD	40	360	GAS TRAIN MB-DLE 412	1 1/4	094563X0
JOB 70/2	0UEBKAXD	25	360	GAS TRAIN MB-DLE 415	1 1/2	094564X0
JOB 70/2 L	0UEBKBXD	25	360	GAS TRAIN MB-DLE 415	1 1/2	094564X0

LPG						
Burner		Gas train (LPG)				
Description	Code	Description	Connection	Code	Kit LPG code	Adapter kit code
JOB 10/2 - E	0UEBBAXD	MB-ZRDLE 405	3/4	094565X0	094584X0	
JOB 10/2 L - E	0UEBBBXD	MB-ZRDLE 405	3/4	094565X0	094584X0	
JOB 17/2 - E	0UEBEAXD	MB-ZRDLE 405	3/4	094565X0		094580X0
JOB 17/2 L - E	0UEBEBXD	MB-ZRDLE 405	3/4	094565X0		094580X0
JOB 25/2 - E	0UEBFAXD	MB-ZRDLE 405	3/4	094565X0		094580X0
JOB 25/2 L - E	0UEBFBXD	MB-ZRDLE 405	3/4	094565X0		094580X0
JOB 40/2 - E	0UEBHAXD	MB-DLE 407	3/4	094576X0	094586X0	
JOB 40/2 L - E	0UEHBHXD	MB-DLE 407	3/4	094576X0	094586X0	
JOB 50/2 - E	0UEBIAXD	MB-DLE 407	3/4	094576X0	094586X0	
JOB 50/2 L - E	0UEBIBXD	MB-DLE 407	3/4	094576X0	094586X0	
JOB 70/2	0UEBKAXD	MB-DLE 407	3/4	094576X0	094589X0	
JOB 70/2 L	0UEBKBXD	MB-DLE 407	3/4	094576X0	094589X0	

TECHNICAL DATA


WORKING DIAGRAM



TECHNICAL DATA


DIMENSIONS

JOB 10/2 - E




Model	A	B	C	TC	TL	E	F	G	I	L	M	N	O	P
JOB 10/2 - E	317	169	148	140	220	204	89	160	100/120	100/120	M8	52	71	82

JOB 17/2 - E | JOB 25/2 - E



Model	A	B	C	TC	TL	E	F	G	I	L	M	N	O	P
JOB 17/2 - E	452	202	250	180	280	280	125	201	106/130	106/130	M8	73	110	104
JOB 25/2 - E	452	202	250	180	280	280	125	201	106/130	106/130	M8	73	110	104

JOB 40/2 - E | JOB 50/2 - E | JOB 70/2



Model	A	B	C	TC	TL	E	F	G	I	L	M	N	O
JOB 40/2 - E	485	277	208	175	335	466	157	280	185/200	185/200	M8	62	101
JOB 50/2 - E	485	277	208	175	335	466	157	280	185/200	185/200	M8	62	101
JOB 70/2	485	277	208	250	390	466	190	280	185/200	185/200	M8	62	101

JOB

PROGRESSIVE GAS BURNER



- Progressive gas burner from 120 kW up to 2200 kW
- The air/gas ratio during the transition from the first to second stage, controlled by a mechanically controlled cam
- The burner can be turned into modulator using the RWF series electronic controller (supplied as accessory)
- All models of the series are certificated in class 3 (≤ 80 mg/kWh) in according with the ErP Directive (mod. 50 is certificated Class 5 - ≤ 56 mg/kWh)
- Job series can be operated with natural gas or LPG by using the dedicated kit
- All the burners are set at the end of the production line for the safe first start
- Every burner is available with two different combustion head lengths and one or more gas train to optimize the combination with the burner depending on the inlet gas pressure
- Two combustion head lengths and the high-pressure fan guarantee a wide working range for easy matching with several types of combustion chambers
- Burners are supplied as standard with: Fixing flange and screws / Insulation flange gasket / Instructions manual

The JOB series complies with:

014/35/UE Low Voltage Directive
 2014/30/UE EMC Directive
 (EU) 2016/426 Gas Appliance Regulation
 2006/42/EC Machine Directive
 2011/65/UE RoHS2 Directive + 2015/863/UE (Delegated Directive)
 EN 676:2020
 EN 50156-1: 2024
 EN IEC 55014-1: 2021
 EN IEC 55014-2: 2021
 EN 60335-1: 2024-04
 EN 60335-2-102: 2016
 EN IEC 61000-6-2: 2019
 EN IEC 61000-6-3: 2019

Accessories

Dedicated page below

Burner code	Burner model
0UEPIAXD	JOB 50/PR - E
0UEPIBXD	JOB 50/PR L - E
0UEPKAXD	JOB 70/PR
0UEPKBXD	JOB 70/PR L
0UEPLAXD	JOB 100/PR
0UEPLBXD	JOB 100/PR L
0UEPNAXD	JOB 120/PR
0UEPNBXD	JOB 120/PR L
0UEPPAXD	JOB 150/PR
0UEPPBXD	JOB 150/PR L
0UEPQAXD	JOB 200/PR
0UEPQBXD	JOB 200/PR L

Description	Head	Class Nox*	Operation	Burner output (kW)		Power supply	Motor
				Min	Max	Phase/V/Hz	W
JOB 50/PR - E	TC	5	Progressive	120	500	3/230-400/50	550
JOB 50/PR L - E	TL	5	Progressive	120	500	3/230-400/50	550
JOB 70/PR	TC	3	Progressive	200	700	3/230-400/50	1100
JOB 70/PR L	TL	3	Progressive	200	700	3/230-400/50	1100
JOB 100/PR	TC	3	Progressive	280	875	3/230-400/50	1100
JOB 100/PR L	TL	3	Progressive	280	875	3/230-400/50	1100
JOB 120/PR	TC	3	Progressive	290	1100	3/230-400/50	2200
JOB 120/PR L	TL	3	Progressive	290	1100	3/230-400/50	2200
JOB 150/PR	TC	3	Progressive	350	1600	3/230-400/50	2200
JOB 150/PR L	TL	3	Progressive	350	1600	3/230-400/50	2200
JOB 200/PR	TC	3	Progressive	320	2200	3/230-400/50	3000
JOB 200/PR L	TL	3	Progressive	320	2200	3/230-400/50	3000

NB: * Class 5 - NOx ≤ 56 mg/kWh (in compliance with EN 676 European standard) - * Class 3 - NOx ≤ 80 mg/kWh (in compliance with EN 676 European standard) - **TC** - Short head / **TL** - Long head

MATCHING GAS TRAIN




NATURAL GAS / LPG

NATURAL GAS								
Burner		Gas supply		Gas train (natural gas)				
Description	Code	Min gas pressure (mbar)	Max gas pressure (mbar)	Description	Connection	Code	Connection pipe code	Gas filter code
JOB 50/PR - E	0UEPIAXD	55	360	GAS TRAIN MB-DLE 410	1	094562X0		
JOB 50/PR L - E	0UEPIBXD	55	360	GAS TRAIN MB-DLE 410	1	094562X0		
JOB 50/PR - E	0UEPIAXD	35	360	GAS TRAIN MB-DLE 412	1 1/4	094563X0		
JOB 50/PR L - E	0UEPIBXD	35	360	GAS TRAIN MB-DLE 412	1 1/4	094563X0		
JOB 50/PR - E	0UEPIAXD	20	360	GAS TRAIN MB-DLE 415	1 1/2	094564X0		
JOB 50/PR L - E	0UEPIBXD	20	360	GAS TRAIN MB-DLE 415	1 1/2	094564X0		
JOB 70/PR	0UEPKAXD	60	360	GAS TRAIN MB-DLE 410	1	094562X0		
JOB 70/PR L	0UEPKBXD	60	360	GAS TRAIN MB-DLE 410	1	094562X0		
JOB 70/PR	0UEPKAXD	40	360	GAS TRAIN MB-DLE 412	1,25	094563X0		
JOB 70/PR L	0UEPKBXD	40	360	GAS TRAIN MB-DLE 412	1,25	094563X0		
JOB 70/PR	0UEPKAXD	25	360	GAS TRAIN MB-DLE 415	1 1/4	094564X0		
JOB 70/PR L	0UEPKBXD	25	360	GAS TRAIN MB-DLE 415	1 1/4	094564X0		
JOB 100/PR	0UEPLAXD	75	360	GAS TRAIN MB-DLE 412	1 1/4	094569X0		
JOB 100/PR L	0UEPLBXD	75	360	GAS TRAIN MB-DLE 412	1 1/4	094569X0		
JOB 100/PR	0UEPLAXD	40	360	GAS TRAIN MB-DLE 415	1 1/2	094570X0		
JOB 100/PR L	0UEPLBXD	40	360	GAS TRAIN MB-DLE 415	1 1/2	094570X0		
JOB 100/PR	0UEPLAXD	35	360	GAS TRAIN MB-DLE 420	2	094571X0		
JOB 100/PR L	0UEPLBXD	35	360	GAS TRAIN MB-DLE 420	2	094571X0		
JOB 120/PR	0UEPNAXD	85	360	GAS TRAIN MB-DLE 412	1 1/4	094569X0		
JOB 120/PR L	0UEPNBXD	85	360	GAS TRAIN MB-DLE 412	1 1/4	094569X0		
JOB 120/PR	0UEPNAXD	45	360	GAS TRAIN MB-DLE 415	1 1/2	094570X0		
JOB 120/PR L	0UEPNBXD	45	360	GAS TRAIN MB-DLE 415	1 1/2	094570X0		
JOB 120/PR	0UEPNAXD	35	360	GAS TRAIN MB-DLE 420	2	094571X0		
JOB 120/PR L	0UEPNBXD	35	360	GAS TRAIN MB-DLE 420	2	094571X0		
JOB 120/PR	0UEPNAXD	20	500	GAS TRAIN VGD 20.503	2	094572X0		
JOB 120/PR L	0UEPNBXD	20	500	GAS TRAIN VGD 20.503	2	094572X0		
JOB 150/PR	0UEPPAXD	45	500	GAS TRAIN VGD 20.503	2	094604X0		094581X0
JOB 150/PR L	0UEPPBXD	45	500	GAS TRAIN VGD 20.503	2	094604X0		094581X0
JOB 150/PR	0UEPPAXD	20	500	GAS TRAIN VGD 40.080	DN65	094605X0	094607X0	094583X0
JOB 150/PR L	0UEPPBXD	20	500	GAS TRAIN VGD 40.080	DN65	094605X0	094607X0	094583X0
JOB 200/PR	0UEPQAXD	60	500	GAS TRAIN VGD 20.503	2	094604X0	094608X0	094581X0
JOB 200/PR L	0UEPQBXD	60	500	GAS TRAIN VGD 20.503	2	094604X0	094608X0	094581X0
JOB 200/PR	0UEPQAXD	35	500	GAS TRAIN VGD 40.080	DN65	094605X0	094609X0	094583X0
JOB 200/PR L	0UEPQBXD	35	500	GAS TRAIN VGD 40.080	DN65	094605X0	094609X0	094583X0
JOB 200/PR	0UEPQAXD	23	500	GAS TRAIN VGD 40.080	DN80	094606X0	094610X0	094582X0
JOB 200/PR L	0UEPQBXD	23	500	GAS TRAIN VGD 40.080	DN80	094606X0	094610X0	094582X0

LPG						
Burner		Gas train (LPG)				
Description	Code	Description	Connection	Code	Kit LPG code	Adapter kit code
JOB 50/PR - E	0UEPIAXD	MB-DLE 407	3/4	094576X0	094586X0	
JOB 50/PR L - E	0UEPIBXD	MB-DLE 407	3/4	094576X0	094586X0	
JOB 70/PR	0UEPKAXD	MB-DLE 407	3/4	094576X0	094589X0	
JOB 70/PR L	0UEPKBXD	MB-DLE 407	3/4	094576X0	094589X0	
JOB 100/PR	0UEPLAXD	MB-DLE 412	1 1/4	094569X0	094587X0	
JOB 100/PR L	0UEPLBXD	MB-DLE 412	1 1/4	094569X0	094587X0	
JOB 120/PR	0UEPNAXD	MB-DLE 412	1 1/4	094569X0	094587X0	
JOB 120/PR L	0UEPNBXD	MB-DLE 412	1 1/4	094569X0	094587X0	
JOB 150/PR	0UEPPAXD	VDG 20.503	2	094604X0	094611X0	
JOB 150/PR L	0UEPPBXD	VDG 20.503	2	094604X0	094611X0	
JOB 200/PR	0UEPQAXD	VDG 20.503	2	094604X0	094588X0	094608X0
JOB 200/PR L	0UEPQBXD	VDG 20.503	2	094604X0	094588X0	094608X0

TECHNICAL DATA


WORKING DIAGRAM



TECHNICAL DATA


DIMENSIONS

JOB 50/PR | JOB 70/PR




Model	A	B	C	TC	TL	E	F	G	I	L	M	N	O
JOB 50/PR	510	302	208	175	335	510	157	280	185/200	185/200	M8	62	101
JOB 70/PR	510	302	208	175	335	500	157	280	185/200	185/200	M8	62	101

JOB 100/PR | JOB 120/PR



Model	A	B	C	TC	TL	E	F	G	H1	I	L	M	N	O
JOB 100/PR	650	330	320	175	395	555	190	390	600	190	190	M10	140	165
JOB 120/PR	670	350	320	310	460	555	200	390	600	190	190	M10	140	165

JOB 150/PR | JOB 200/PR



Model	A	B	C	TC	TM	TL	E	Ø F	G	I	L	M	N	O
JOB 150/PR	677	313	364	345	445	545	543	205	401	185/200	185/200	M10	138	-
JOB 200/PR	728	331	397	345	445	545	647	224	420	240	240	M14	125	245

JOB SERIES

GAS BURNER ACCESSORIES

KIT MODUL RWF 50

Power modulation regulator (depending on the temperature or pressure) to transform JOB series burners from Progressive to Modulating operation.



Code	Description	Burners
094590X0	Kit modul RWF 50	JOB 50/PR - E; JOB 50/PR L - E
094613X0	Kit modul RWF 50	JOB 70/PR - E; JOB 70/PR L - E; JOB 100/PR - E; JOB 100/PR L - E; JOB 120/PR - E; JOB 120/PR L - E; JOB 150/PR - E; JOB 150/PR L - E; JOB 200/PR - E; JOB 200/PR L - E
094592X0	Temperature probe - Range: 0 - 130° C	Kit Modul RWF 50 and JOB series progressive type
094593X0	Pressure probe - Range: 0 - 4 bar	Kit Modul RWF 50 and JOB series progressive type
094594X0	Pressure probe - Range: 0 - 10 bar	Kit Modul RWF 50 and JOB series progressive type
094595X0	Pressure probe - Range: 0 - 16 bar	Kit Modul RWF 50 and JOB series progressive type

KIT VPS504 NG / LPG

Natural gas / LPG valve proving system



Code	Description	Burners
094601X0	KIT VPS504 NG Natural gas valve proving system	JOB Series
094602X0	KIT VPS504 LPG LPG valve proving system	JOB Series
094603X0	VPS adapter	kit VPS504 and JOB 10/2 - E; JOB 17/2 - E; JOB 25/2 - E

ANTIVIBRATION JOINT



Code	Description	Burners
094596X0	Antivibration joint - Size 1 1/4"	JOB Series
094597X0	Antivibration joint - Size 1 1/2"	JOB Series
094598X0	Antivibration joint - Size 2"	JOB Series
094599X0	Antivibration joint - Size DN65	JOB Series
094600X0	Antivibration joint - Size DN80	JOB Series

GAS FILTER



Code	Description	Burners
094581X0	Gas filter - Size 2"	JOB Series
094582X0	Gas filter - Size DN80	JOB Series
094583X0	Gas filter - Size DN65	JOB Series

JOB SERIES

BOILER AND GAS BURNER MATCHING

Boiler				Gas burner		
Model	Code	Output - kW	Back pressure - mbar	Model	Code	Operating
MEGAPREX N 92 N	0QIJ3AXD	99.5	0.5	JOB 10 L - E	0UEMBBXD	One stage
				JOB 10/2 L - E	0UEBBBXD	Two stage
MEGAPREX N 107 N	0QIJ4AXD	116	0.7	JOB 12 L - E	0UEMCBXD	One stage
				JOB 17/2 L - E	0UEBEBXD	Two stage
MEGAPREX N 152 N	0QIJ6AXD	165	1.2	JOB 25 L - E	0UEMFBXD	One stage
				JOB 25/2 L - E	0UEBFBXD	Two stage
MEGAPREX N 190 N	0QIJ7AXD	206	1.2	JOB 25 L - E	0UEMFBXD	One stage
				JOB 25/2 L - E	0UEBFBXD	Two stage
MEGAPREX N 240 N	0QIJ8AXD	261	2.3	JOB 35 L - E	0UEMGBXD	One stage
				JOB 40/2 L - E	0UEBHBXD	Two stage
MEGAPREX N 300 N	0QIJ9AXD	326	3.3	JOB 40/2 L - E	0UEBHBXD	Two stage
				JOB 50/PR L - E	0UEPIBXD	Progressive
MEGAPREX N 350 N	0QIJAAXD	378	3.5	JOB 50/2 L - E	0UEBIBXD	Two stage
				JOB 50/PR L - E	0UEPIBXD	Progressive
MEGAPREX N 401N (WN)	0QIJBAXD	434	4.4	JOB 50/2 L - E	0UEBIBXD	Two stage
				JOB 50/PR L - E	0UEPIBXD	Progressive
MEGAPREX N 525N (WN)	0QIJEAXD	567	4.3	JOB 70/2 L	0UEBKBXD	Two stage
				JOB 70/PR L	0UEPKBXD	Progressive
MEGAPREX N 600N (WN)	0QIJFAXD	648	4.8	JOB 100/PR L	0UEPLBXD	Progressive
MEGAPREX N 720N (WN)	0QIJHBXD	777	4.5	JOB 100/PR L	0UEPLBXD	Progressive
MEGAPREX N 820N (WN)	0QIJIBXD	881	5.6	JOB 120/PR L	0UEPNBXD	Progressive
MEGAPREX N 940N (WN)	0QIJJBXD	1011	5.4	JOB 150/PR L	0UEPPBXD	Progressive
MEGAPREX N 1060N (WN)	0QIJKBXD	1075	6	JOB 150/PR L	0UEPPBXD	Progressive
PREX H 3 COND 65	0RGZ3AXD	61.3	0.4	JOB 7 L - E	0UEM9BXD	One stage
				JOB 10/2 L - E	0UEBBBXD	Two stage
PREX H 3 COND 100	0RGZ4AXD	94.3	0.65	JOB 10 L - E	0UEMBBXD	One stage
				JOB 10/2 L - E	0UEBBBXD	Two stage
PREX H 3 COND 150	0RGZ5AXD	141.5	1.7	JOB 17 - E	0UEMEAXD	One stage
				JOB 17/2 - E	0UEBEAXD	Two stage
PREX H 3 COND 230	0RGZ8AXD	217	1.7	JOB 25 - E	0UEMFAXD	One stage
				JOB 25/2 - E	0UEBFAXD	Two stage
PREX H 3 COND 370	0RGZBAXD	349.1	2	JOB 40/2 - E	0UEBHAXD	Two stage
				JOB 50/PR - E	0UEPIAXD	Progressive
PREX H 3 COND 500	0RGZDAXD	471.7	3.5	JOB 70/2	0UEBKAXD	Two stage
				JOB 70/PR	0UEPKAXD	Progressive
PREX H 3 COND 650	0RGZGAXD	613.2	4.2	JOB 70/2	0UEBKAXD	Two stage
				JOB 70/PR	0UEPKAXD	Progressive
PREX H 3 COND 820	0RGE01XD	767	6	JOB 100/PR L	0UEPLBXD	Progressive
PREX H 3 COND 1000	0RGF02XD	935	6.4	JOB 120/PR	0UEPNAXD	Progressive

CERTIFICATE



Number	A-1056	Replaces	
Issue date	20-01-2009	Contract number	1-00
Date due	20-01-2009	Scope	1 - 20-01-2009 and 20-01-2009
Report number	20-01-2009	Module	B - 20-01-2009
PRI	20-01-2009		

* 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2645 2646 2647 2648 2649 2650 2651 2652 2653 2654 2655 2656 2657 2658 2659 2660 2661 2662 2663 2664 2665 2666 2667 2668 2669 2670 2671 2672 2673 2674 2675 2676 2677 2678 2679 2680 2681 2682 2683 2684 2685 2686 2687 2688 2689 2690 2691 2692 2693 2694 2695 2696 2697 2698 2699 2700 2701 2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729 2730 2731 2732 2733 2734 2735 2736 2737 2738 2739 2740 2741 2742 2743 2744 2745 2746 2747 2748 2749 2750 2751 2752 2753 2754 2755 2756 2757 2758 2759 2760 2761 2762 2763 2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2778 2779 2780 2781 2782 2783 2784 2785 2786 2787 2788 2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2809 2810 2811 2812 2813 2814 2815 2816 2817 2818 2819 2820 2821 2822 2823 2824 2825 2826 2827 2828 2829 2830 2831 2832 2833 2834 2835 2836 2837 2838 2839 2840 284

JOB 4 - E. JOB 4 L - E. JOB 7 - E. JOB 7 L - E. JOB 10 - E. JOB 10 L - E,
JOB 12 - E. JOB 12 L - E. JOB 17 - E. JOB 17 L - E. JOB 25 - E. JOB 25 L - E.
JOB 25 - E. JOB 35 L - E. JOB 10/2 - E. JOB 10/2 L - E. JOB 12/2 - E.
JOB 12/2 L - E. JOB 17/2 - E. JOB 17/2 L - E. JOB 25/2 - E. JOB 25/2 L - E.
JOB 40/2 - E. JOB 40/2 L - E. JOB 50/2 - E. JOB 50/2 L - E. JOB 50/PR - E,
JOB 50/PR L - E. JOB 70/2. JOB 70/2 L. JOB 70/PR. JOB 70/PR L

Ferrolì S.p.A.
Via Ritonda 78/a
37047 San Bonifacio (VR) - Italy

Regulation (EU) 2016/426 relating to appliances burning gaseous fuels.

DOI: 10.1002/for

[illegible]

King George VI 1935-40
 1935-40 1935-40 1935-40 1935-40
 1935-40 1935-40 1935-40 1935-40
 1935-40 1935-40 1935-40 1935-40

Industry Division Manager
MILITARY LOGISTICS

Unit 10/11

$$Q_{\text{gas}} = 2.43, \text{ total cr to } = 0.25$$


PRD N° 0069PRD
Member degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC
Signatory of EA, IAF and ILAC Mutual Recognition Agreements



CERTIFICATE (GAR)



CERTIFICATE (GAR)

0.5 0.6 0.7 0.8 0.9 1.0

[illegible]

* $p < 0.05$ vs. control group; * $p < 0.05$ vs. 100 mg/kg group.

• • •

* * * * *

JOB SERIES

CE CERTIFICATION MOD. 100 - 120





Number	K 100/PR	Replaces
Issue date	01.01.2016	Contract number
Due date	30.01.2016	Scope
Report number	2016/01/1	Module
PRN	001/01/01	

EU TYPE-EXAMINATION CERTIFICATE (GAR)

Kiwa Caloreclima s.p.a. ha fatto la seguente valutazione:

**JOB 100/PR, JOB 100/PR L,
JOB 120/PR, JOB 120/PR L**

Emessa da:

Ferrolli S.p.A.
Via Ritonda 78/a
37047 San Bonifacio (VR) - Italy

La presente certificazione è basata sulla:

Regulation (EU) 2016/426 relating to appliances burning gaseous fuels.

Per la valutazione si è applicato il regolamento (UE) 2016/426.

Il presente certificato è valido per la valutazione di conformità ai requisiti di sicurezza e di efficienza energetica previsti dalla normativa europea.

Kiwa Caloreclima s.p.a.
 Società con capitale interamente posseduto
 da Ferrolli S.p.A. e da Caloreclima s.p.a. con
 sede in Via Ritonda 78/a, 37047 San Bonifacio (VR) - Italy

Unica società

Organismo di certificazione n. 001/01/01

Industry Division Manager
 M. P. Z. O. L. O. R. E. C. L. I. M. A.



PRO TIP 0000000
 Member of the Accord & Mutual Recognition BA, IAF & ILAC
 Signatory of EA, IAF and ILAC Mutual Recognition Agreements



Page	1 of 1	
Issue date	01.01.2016	Contract number
Due date	30.01.2016	Scope
Report number	2016/01/1	Module
PRN	001/01/01	

K TO EU TYPE-EXAMINATION CERTIFICATE (GAR)

FERROLI CALORECLIMA

100/PR 100/PR L 120/PR 120/PR L	100/PR 100/PR L 120/PR 120/PR L
--	--

La presente certificazione è basata sulla:

Regulation (EU) 2016/426 relating to appliances burning gaseous fuels.

Per la valutazione si è applicato il regolamento (UE) 2016/426.

Il presente certificato è valido per la valutazione di conformità ai requisiti di sicurezza e di efficienza energetica previsti dalla normativa europea.

Kiwa Caloreclima s.p.a.
 Società con capitale interamente posseduto
 da Ferrolli S.p.A. e da Caloreclima s.p.a. con
 sede in Via Ritonda 78/a, 37047 San Bonifacio (VR) - Italy

Unica società

Organismo di certificazione n. 001/01/01

Industry Division Manager
 M. P. Z. O. L. O. R. E. C. L. I. M. A.



PRO TIP 0000000
 Member of the Accord & Mutual Recognition BA, IAF & ILAC
 Signatory of EA, IAF and ILAC Mutual Recognition Agreements

JOB SERIES

CE CERTIFICATION MOD. 150 - 200

CERTIFICATE



Number	K150/200	Replaces	
Issue date	10/01/2016	Contract number	1/20
Due date	10/01/2016	Scope	EU 150/200/PR L
Report number	Zu 150/200	Module	B Type testing
PRN	00000000000000000000		

EU TYPE-EXAMINATION CERTIFICATE (GAR)

Kiwa Certificato di esame di tipo per apparecchi a gas

JOB 150/PR, JOB 150/PR L
JOB 200/PR, JOB 200/PR L

Fornitore:

Ferrolì S.p.A.
Via Ritonda 78/a
37047 San Bonifacio (VR) - Italy

Il presente certificato è rilasciato ai sensi della

Regulation (EU) 2016/426 relating to appliances burning gaseous fuels.

Per informazioni sui requisiti di base, vedere il

Documento di riferimento: **EN 13396 - 1/2015**

Il presente certificato è rilasciato ai sensi della

Regolazione (UE) 2016/426 riguardante gli apparecchi a gas.

Per informazioni sui requisiti di base, vedere il

Documento di riferimento: **EN 13396 - 1/2015**

Il presente certificato è rilasciato ai sensi della

Regolazione (UE) 2016/426 riguardante gli apparecchi a gas.

Per informazioni sui requisiti di base, vedere il

Documento di riferimento: **EN 13396 - 1/2015**

Industry Division Manager
 MARIO ZUCCHETTI



PRODOTTO E CERTIFICATO
 MEMBRO DEGLI ACCORDI DI MUTUA RICONOSCIMENTO EA, ILAC E ILAC
 SIGNATARIO DI EA, ILAC E ILAC MUTUAL RECOGNITION AGREEMENTS

CERTIFICATE



Number	K150/200	Replaces	
Issue date	10/01/2016	Contract number	1/20
Due date	10/01/2016	Scope	EU 150/200/PR L
Report number	Zu 150/200	Module	B Type testing
PRN	00000000000000000000		

EU TYPE-EXAMINATION CERTIFICATE (GAR)

Kiwa Certificato di esame di tipo per apparecchi a gas

JOB 150/PR, JOB 150/PR L
JOB 200/PR, JOB 200/PR L

Fornitore:

Ferrolì S.p.A.
Via Ritonda 78/a
37047 San Bonifacio (VR) - Italy

Il presente certificato è rilasciato ai sensi della

Regulation (EU) 2016/426 relating to appliances burning gaseous fuels.

Per informazioni sui requisiti di base, vedere il

Documento di riferimento: **EN 13396 - 1/2015**

Il presente certificato è rilasciato ai sensi della

Regolazione (UE) 2016/426 riguardante gli apparecchi a gas.

Per informazioni sui requisiti di base, vedere il

Documento di riferimento: **EN 13396 - 1/2015**

Il presente certificato è rilasciato ai sensi della

Regolazione (UE) 2016/426 riguardante gli apparecchi a gas.

Per informazioni sui requisiti di base, vedere il

Documento di riferimento: **EN 13396 - 1/2015**

Industry Division Manager
 MARIO ZUCCHETTI




PRODOTTO E CERTIFICATO
 MEMBRO DEGLI ACCORDI DI MUTUA RICONOSCIMENTO EA, ILAC E ILAC
 SIGNATARIO DI EA, ILAC E ILAC MUTUAL RECOGNITION AGREEMENTS


OVERALL DIMENSIONS

BURNER AND GAS TRAIN


JOB 4 - E




JOB 7 - E | JOB 10 - E | JOB 12 - E



JOB 17 - E | JOB 25 - E



JOB 35 - E




OVERALL DIMENSIONS (mm)

BURNER	GAS TRAIN	A	B	C	D	E	T
JOB 4 - E	MBC 65 DLE	143	145	153	304	248	85
	MBC 120 DLE	73	230	204	302	246	85
JOB 7 - E	MBC 65 DLE	73	230	204	312	246	85
	MBC 120 DLE	87	230	204	302	246	140
JOB 10 - E	MBC 65 DLE	87	230	204	302	246	140
	MBC 120 DLE	87	230	204	312	246	160
JOB 12 - E	MBC 65 DLE	87	230	204	302	246	160
	MBC 120 DLE	87	230	204	312	246	160
JOB 17 - E	MB-DLE 407	98	294	280	267	305	180
	MB-DLE 410	98	294	280	291	325	180
JOB 25 - E	MB-DLE 407	98	294	280	267	305	180
	MB-DLE 412	98	294	280	291	325	180
JOB 35 - E	MB-DLE 410	277	313	466	397	-	175
	MB-DLE 412	277	313	466	397	-	175
	MB-DLE 415	277	301	466	462	-	175


OVERALL DIMENSIONS

BURNER AND GAS TRAIN


JOB 10/2 - E



JOB 17/2 - E | JOB 25/2 - E



JOB 40/2 - E | JOB 50/2 - E | JOB 70/2 - E




OVERALL DIMENSIONS (mm)								
BURNER	GAS TRAIN	A	B	C	D	E	T	
JOB 10/2 - E	MB-ZRDLE 405	87	230	204	246	316	140	220
	MB-ZRDLE 405	147	306	301	267	355	180	280
JOB 17/2 - E	MB-ZRDLE 410	147	306	301	296	425	180	280
	MB-ZRDLE 407	147	306	301	267	375	180	280
JOB 25/2 - E	MB-ZRDLE 410	147	306	301	296	425	180	280
	MB-DLE 410	485	313	466	397	-	175	335
JOB 40/2 - E	MB-DLE 412	485	313	466	397	-	175	335
	MB-DLE 415	485	301	466	462	-	175	335
	MB-DLE 410	485	313	466	397	-	175	335
JOB 50/2 - E	MB-DLE 412	485	313	466	397	-	175	335
	MB-DLE 415	485	301	466	462	-	175	335
	MB-DLE 410	485	313	466	397	-	175	335
JOB 70/2	MB-DLE 412	485	313	466	397	-	175	335
	MB-DLE 415	485	301	466	462	-	175	335
	MB-DLE 410	485	313	466	397	-	175	335


OVERALL DIMENSIONS

BURNER AND GAS TRAIN


JOB 50/PR - E | JOB 70/PR




JOB 100/PR | JOB 120/PR



JOB 150/PR



JOB 200/PR



OVERALL DIMENSIONS (mm)							
BURNER	GAS TRAIN	A	B	C	D	T	
JOB 50/PR	MB-DLE 410	510	313	510	397	175	335
	MB-DLE 412	510	313	510	397	175	335
	MB-DLE 415	510	301	510	462	175	335
JOB 70/PR	MB-DLE 410	510	313	510	397	175	335
	MB-DLE 412	510	313	510	397	175	335
	MB-DLE 415	510	301	510	462	175	335
JOB 100/PR	MB-DLE 412	328	567	543	468	175	395
	MB-DLE 415	328	555	543	548	175	395
	MB-DLE 420	328	555	543	558	175	395
JOB 120/PR	MB-DLE 412	328	567	543	468	309	459
	MB-DLE 415	328	555	543	548	309	459
	MB-DLE 420	328	555	543	558	309	459
	VGD 20.503	328	605	543	774	309	459
JOB 150/PR	VGD 20.503	364	1043	543	-	345	545
	VGD 40.065	364	1248	543	-	345	545
	VGD 20.503	397	943	647	-	345	545
JOB 200/PR	VGD 40.065	397	728	647	811	345	545
	VGD 40.080	397	729	647	880	345	545


GAS TRAIN

DESCRIPTIONS

The JOB series gas valves are supplied separately from the burner. For each burner model, multiple gas valve sizes are available to optimize the match based on the combustion gas pressure.


There are two types, and they are composed of:

MULTIBLOC DUNGS



- V1** Safety gas valve
- V2** Working gas valve
- 3** Gas pressure switch
- 4** Gas regulator
- 5** Gas filter
- 6** Tightness control (VPS) *(supplied as a kit)*
- 7** Connection pipe *(supplied as an accessory)*

VGD SIEMENS



- 1** Antivibration joint *(supplied as a kit)*
- 2** Gas filter *(supplied as a kit)*
- V1** Working gas valve
- V2** Safety gas valve
- 3** Gas pressure switch
- 4** Tightness control (VPS) *(supplied as a kit)*
- 5** Connection pipe *(supplied as an accessory)*

NOTES



The illustrations and data provided are indicative. Lamborghini CaloreClima reserves the right to make any changes deemed to be most appropriate for the improvement of the product or of the service offered without being obliged to give prior notice.

The images in this catalogue are under copyright owned by Lamborghini CaloreClima.